
## **SQL POSITIVE RETURN CODES IN DB2 12**



000	SUCCESSFUL EXECUTION
+012	THE UNQUALIFIED COLUMN NAME <i>column-name</i> WAS INTERPRETED AS A CORRELATED REFERENCE
+098	A DYNAMIC SQL STATEMENT ENDS WITH A SEMICOLON
+100	ROW NOT FOUND FOR FETCH, UPDATE OR DELETE, OR THE RESULT OF A QUERY IS AN EMPTY TABLE
+110	SQL UPDATE TO A DATA CAPTURE TABLE NOT SIGNALLED TO ORIGINATING SUBSYSTEM
+111	THE SUBPAGES OPTION IS NOT SUPPORTED FOR TYPE 2 INDEXES
+117	THE NUMBER OF INSERT VALUES IS NOT THE SAME AS THE NUMBER OF OBJECT COLUMNS
+162	TABLESPACE <i>database-name.tablespace-name</i> HAS BEEN PLACED IN CHECK PENDING
+203	THE QUALIFIED COLUMN NAME <i>column-name</i> WAS RESOLVED USING A NON-UNIQUE OR UNEXPOSED NAME
+204	name IS AN UNDEFINED NAME
+205	column-name IS NOT A COLUMN OF TABLE insert-name

column-name IS NOT A COLUMN OF AN INSERTED TABLE, UPDATED +206 TABLE, OR ANY TABLE IDENTIFIED IN A FROM CLAUSE THE STATEMENT WAS NOT EXECUTED AS ONLY EXPLAIN INFORMATION +217REQUESTS ARE BEING PROCESSED THE SQL STATEMENT REFERENCING A REMOTE OBJECT CANNOT BE +218EXPLAINED +219THE REQUIRED EXPLANATION TABLE table-name DOES NOT EXIST THE COLUMN column-name IN EXPLANATION TABLE table-name IS +220 NOT DEFINED PROPERLY +222 HOLE DETECTED USING CURSOR cursor-name CURRENT POSITION OF CURSOR cursor-name IS NOT VALID FOR THE +231 SPECIFIED FETCH ORIENTATION OF THE CURRENT ROW OR ROWSET SQLDA INCLUDES integer1 SQLVAR ENTIRES, BUT integer2 ARE +236 REQUIRED FOR integer3 COLUMNS SQLDA INCLUDES integer1 SQLVAR ENTIRES, BUT integer2 ARE +236REQUIRED FOR integer3 COLUMNS SQLDA INCLUDES integer1 SQLVAR ENTIRES, BUT integer2 ARE +237 REQUIRED BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE SQLDA INCLUDES integer1 SQLVAR ENTIRES, BUT integer2 SQLVAR +238 ENTRIES ARE NEEDED FOR integer3 COLUMNS BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE SQLDA INCLUDES integer1 SQLVAR ENTIRES, BUT integer2 ARE +239 REQUIRED FOR integer3 COLUMNS BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE A NON-ATOMIC statement STATEMENT SUCCESSFULLY PROCESSED ALL +252 REQUESTED ROWS, WITH ONE OR MORE WARNING CONDITION A VALUE WITH DATA TYPE data-type1 CANNOT BE ASSIGNED TO A HOST VARIABLE BECAUSE THE VALUE IS NOT WITHIN THE RANGE OF +304THE HOST VARIABLE IN POSITION position-number WITH DATA TYPE *data-type2* THE NULL VALUE HAS BEEN ASSIGNED TO A HOST VARIABLE OR PARAMETER BECAUSE THE STRING CANNOT BE CONVERTED FROM +331 source-ccsid TO target-ccsid. REASON reason-code, POSITION position-number DBS CONVERTED A HOST VARIABLE, PARAMETER, OR COLUMN NUMBER var-num var-name-or-num TO COLUMN NAME, HOST VARIABLE, OR +335 EXPRESSION NUMBER col-name-or-num FROM from ccsid TO toccsid, AND RESULTING IN SUBSTITUTION CHARACTERS THE SQL STATEMENT HAS BEEN SUCCESSFULLY EXECUTED, BUT THERE +339 MAY BE SOME CHARACTER CONVERSION INCONSISTENCIES THE RECURSIVE COMMON TABLE EXPRESSION name MAY CONTAIN AN +347 INFINITE LOOP

A ROWSET FETCH STATEMENT MAY HAVE RETURNED ONE OR MORE ROWS OF DATA. HOWEVER, ONE OR MORE WARNING CONDITIONS WERE ALSO +354 ENCOUNTERED. USE THE GET DIAGNOSTICS STATEMENT FOR MORE INFORMATION REGARDING THE CONDITIONS THAT WERE ENCOUNTERED COMMAND WAS SUCCESSFUL BUT RESULTED IN THE FOLLOWING: msg-+361 token DECFLOAT EXCEPTION exception-type HAS OCCURRED DURING +364 operation-type OPERATION, POSITION position-type ASSIGNMENT TO AN SQLSTATE OR SQLCODE VARIABLE IN AN SQL ROUTINE routine-name MAY BE OVERWRITTEN AND DOES NOT +385ACTIVATE ANY HANDLER ALL USER SPECIFIED OPTIMIZATION HINTS USED DURING ACCESS +394 PATH SELECTION USER SPECIFIED OPTIMIZATION HINTS ARE INVALID (REASON CODE= +395 'reason-code'). THE OPTIMIZATION HINTS ARE IGNORED +402 LOCATION location IS UNKNOWN THE LOCAL OBJECT REFERENCED BY CREATE ALIAS STATEMENT DOES +403 NOT EXIST clause IS A DEPRECATED FEATURE +434 +438 APPLICATION RAISED WARNING WITH DIAGNOSTIC TEXT: text NO routine-type BY THE NAME routine-name HAVING COMPATIBLE +440ARGUMENTS WAS FOUND VALUE value HAS BEEN TRUNCATED +445 EXTERNAL FUNCTION OR PROCEDURE name (SPECIFIC NAME +462 specific-name) HAS RETURNED A WARNING SQLSTATE, WITH DIAGNOSTIC TEXT text PROCEDURE proc RETURNED num QUERY RESULT SETS, WHICH +464 EXCEEDS THE DEFINED LIMIT integer CREATE PROCEDURE proc RETURNED num QUERY RESULTS SETS +466 +494 NUMBER OF RESULT SETS IS GREATER THAN NUMBER OF LOCATORS ESTIMATED PROCESSOR COST OF estimate-amount1 PROCESSOR SECONDS (estimate-amount2 SERVICE UNITS) IN COST CATEGORY +495cost-category EXCEEDS A RESOURCE LIMIT WARNING THRESHOLD OF *limit-amount* SERVICE UNITS THE RESULT OF THE POSITIONED UPDATE OR DELETE MAY DEPEND ON +535 THE ORDER OF THE ROWS THE REFERENTIAL OR UNIQUE CONSTRAINT name HAS BEEN IGNORED +541 BECAUSE IT IS A DUPLICATE auth-id DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION +551 operation ON OBJECT object-name auth-id DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION +552 operation

+558	THE WITH GRANT OPTION IS IGNORED
+561	THE ALTER, INDEX, REFERENCES, AND TRIGGER PRIVILEGES CANNOT BE GRANTED PUBLIC AT ALL LOCATIONS
+562	A GRANT OF A PRIVILEGE WAS IGNORED BECAUSE THE GRANTEE ALREADY HAS THE PRIVILEGE FROM THE GRANTOR
+585	THE COLLECTION collection-id APPEARS MORE THAN ONCE WHEN SETTING THE special-register SPECIAL REGISTER
+599	COMPARISON FUNCTIONS ARE NOT CREATED FOR A DISTINCT TYPE BASED ON A LONG STRING DATA TYPE
+610	A CREATE/ALTER ON OBJECT <i>object-name</i> HAS PLACED OBJECT IN <i>utility</i> PENDING
+650	THE TABLE BEING CREATED OR ALTERED CANNOT BECOME A DEPENDENT TABLE
+653	TABLE <i>table-name</i> IN PARTITIONED TABLESPACE <i>tspace-name</i> IS NOT AVAILABLE BECAUSE ITS PARTITIONED INDEX HAS NOT BEEN CREATED
+655	STOPGROUP stogroup_name HAS BOTH SPECIFIC AND NON-SPECIFIC VOLUME IDS. IT WILL NOT BE ALLOWED IN FUTURE RELEASES
+658	THE SUBPAGES VALUE IS IGNORED FOR THE CATALOG INDEX <i>index-</i> name
+664	THE INTERNAL LENGTH OF THE LIMIT-KEY FIELDS SPECIFIED IN THE PARTITION CLAUSE OF THE <i>statement-name</i> STATEMENT EXCEEDS THE EXISTING INTERNAL LIMIT KEY LENGTH STORED IN CATALOG TABLE <i>table-name</i>
+738	DEFINITION CHANGE OF <i>object object-name</i> MAY REQUIRE SIMILAR CHANGE ON READ-ONLY SYSTEMS
+799	A SET STATEMENT REFERENCES A SPECIAL REGISTER THAT DOES NOT EXIST AT THE SERVER SITE
+802	EXCEPTION ERROR <i>exception-type</i> HAS OCCURRED DURING operation-type OPERATION ON data-type DATA, POSITION position-number
+806	BIND ISOLATION LEVEL RR CONFLICTS WITH TABLESPACE LOCKSIZE PAGE OR LOCKSIZE ROW AND LOCKMAX 0
+807	THE RESULT OF DECIMAL MULTIPLICATION MAY CAUSE OVERFLOW
+863	THE CONNECTION WAS SUCCESSFUL BUT ONLY SBCS WILL BE SUPPORTED
+883	ROLLBACK TO SAVEPOINT OCCURRED WHEN THERE WERE OPERATIONS THAT CANNOT BE UNDONE, OR AN OPERATION THAT CANNOT BE UNDONE WAS PERFORMED WHEN THERE WAS A SAVEPOINT OUTSTANDING
+4726	THE STATEMENT WAS SUCCESSFULLY PREPARED, BUT IT CANNOT BE EXECUTED

A SECTION WAS BOUND SUCCESSFULLY, BUT AN ERROR OCCURRED WHEN A STATEMENT IN A RELATED EXTENDED SECTION WAS BOUND.

+4745 INFORMATION RETURNED: SECTION NUMBER section-number, SQLCODE sqlcode, SQLSTATE sqlstate, AND MESSAGE TOKENS token-list

*bind-type* WARNING FOR PACKAGE = *package-name*, THE USE OF +4751 *keyword* RESULTED IN UNSUCCESSFUL COMPLETION FOR ONE OR MORE STATEMENTS

+20002 THE clause SPECIFICATION IS IGNORED FOR THE OBJECT objectname

USE OF OPTIMIZATION HINTS IS DISALLOWED BY A DB2 SUBSYSTEM

- +20007 THE SPECIAL REGISTER 'OPTIMIZATION HINT' IS SET TO THE DEFAULT VALUE OF BLANKS
- +20122 DEFINE NO OPTION IS NOT APPLICABLE IN THE CONTEXT SPECIFIED
- +20141 TRUNCATION OF VALUE WITH LENGTH length OCCURRED FOR hv-orparm-number

+20187 ROLLBACK TO SAVEPOINT CAUSED A NOT LOGGED TABLE SPACE TO BE PLACED IN THE LPL

- +20237 FETCH PRIOR ROWSET FOR CURSOR *cursor-name* RETURNED A PARTIAL ROWSET
- +20245 NOT PADDED CLAUSE IS IGNORED FOR INDEXES CREATED ON AUXILIARY TABLES
- +20270 OPTION NOT SPECIFIED FOLLOWING ALTER PARTITION CLAUSE
- +20271 THE NAME AT ORDINAL POSITION*position number* IN THE STATEMENT, WITH NAME *object-name*, WAS TRUNCATED
- TABLE SPACE table-space-name HAS BEEN CONVERTED TO USE +20272 TABLE-CONTROLLED PARTITIONING INSTEAD OF INDE CONTROLLED PARTIONING, ADDITIONAL INFORMATION old-limit-key-value
- +20341 OWNERSHIP TRANSFER WAS IGNORED BECAUSE auth-id IS ALREADY THE OWNER OF THE OBJECT
- +20348 THE PATH VALUE HAD BEEN TRUNCATED
- +20360 TRUSTED CONNECTION CAN NOT BE ESTABLISHED FOR SYSTEM AUTHID authorization-name

A SIGNALING NAN WAS ENCOUNTERED, OR AN EXCEPTION OCCURRED

- +20365 IN AN ARITHIMETIC OPERATION OR FUNCTION INVOLVING A DECFLOAT
- +20367 OPTION *clause* IS NOT SUPPORT IN THE CONTEXT IN WHICH IS WAS SPECIFIED

THE ABILITY TO USE TRUSTED CONTEXT context-name WAS REMOVED +20371 FROM SOME, BUT NOT ALL AUTHORIZATION IDS SPECIFIED IN THE STATEMENT

A NON-ATOMIC statement STATEMENT SUCCESSFULLY COMPLETED FOR +20378 SOME OF THE REQUESTED ROWS, POSSIBLY WITH WARNING, AND ONE OR MORE ERRORS, AND THE CURSOR CAN BE USED THE PROCEDURE procedure-name HAS ENCOUNTERED AN INTERNAL PARAMETER PROCESSING ERROR IN PARAMETER number1. THE VALUE +20458 FOR PARAMETER number2 CONTAINS FURTHER INFORMATION ABOUT THE ERROR THE PROCEDURE procedure-name HAD ENCOUNTERED AN INTERNAL +20459 PARAMETER PROCESSING ERROR. THE VALUE FOR PARAMETER number CONTAINS FURTHER INFORMATION ABOUT THE ERROR THE PROCEDURE procedure-name SUPPORTS A HIGHER VERSION, +20460 version1. THAN THE SPECIFIED VERSION, version2, FOR PARAMETER number THE PROCEDURE procedure-name RETURNED OUTPUT IN THE +20461 ALTERNATE LOCALE, locale1, INSTEAD OF THE LOCALE locale2, SPECIFIED IN PARAMETER number THE COMBINATION OF TARGET NAMESPACE target-namespace AND +20468 SCHEMA LOCATION HINT location-hint IS NOT UNIQUE IN THE DB2 XML SCHEMA REPOSITORY ATTEMPT TO USE A DEPRECATED FEATURE ON OBJECT object-name. +20520 REASON CODE reason-code A SYSTEM PARAMETER WAS OVERRIDDEN FOR object-name WHEN +20543 PROCESSING THE statement-name STATEMENT.REASON reason-code OPERATION COMPLETED SUCCESSFULLY BUT A DISTRIBUTION PROTOCOL VIOLATION HAS BEEN DETECTED. ORIGINA +30100SQLCODE=original-sqlcode AND ORIGINAL SQLSTATE=originalsglstate

Disclaimer: This Db2® 12 for z/OS Reference Guide was developed to help users in their daily activities in administrating and programming in Db2 for z/OS. There are no guarantees expressed or implied with the contents in this guide. We want to provide a quality and useful reference for users. Please notify us of any mistakes or errors in this reference guide at blogs@bmc.com. Db2 is a registered trademark of the IBM Corporation.